

# **NASA Ground Networks**

overview, architecture & capabilities

Bill Watson March 2003



## **Ground Network (GN) overview**

#### GN is customer driven

- Provides ground-based space communications for NASA missions
- Provides reliable services to meet customer requirements

# GN evolution goal is to provide best value service


- Manage costs to avoid large capitalization
- Maintain minimum GN Project civil servant staffing
- Balance long-term stability and flexibility of ground network capacity
- Maintain high performance and reduce risk

GN Project Overview							
Enterprise	Earth Science						
Program Executive	Bill Watson, NASA HQ						
Project Manager	Roger Clason, GSFC						
Lead Center	Goddard Space Flight Center (GSFC)						
Performing Centers	GSFC, Wallops Flight Facility						
<b>Program Type</b>	Space Communications Services						
Authority	Space Communications MOA approved by NASA Enterprises September 2002						



## **Ground Network description**

GN Customer Diversity Examples										
Organizations	Phases	Orbits/Trajectories	Frequency	Service Needs						
• NASA	• Launch	• LEO Polar	• X-Band	• Telemetry						
• Other Government	• Early Orbit	<ul> <li>LEO low-inclination</li> </ul>	• S-Band	•Housekeeping						
<ul> <li>International</li> </ul>	• On-orbit	• GEO	• L-Band	•Science Data						
<ul> <li>Commercial</li> </ul>	• Disposal	• Launch	• VHF	<ul> <li>Commanding</li> </ul>						
		• Sub-orbital	• UHF	• Tracking						
			• C-band	Range support						



**EOS Aqua** 



**Shuttle Launch** 



**Ultra Long Duration Balloon** 



# The GN has developed into a complex heterogeneous system

- □ 50 ground station antennas;30 unique antenna systems
- ☐ 7 geographic antenna locations
- 4 different owner/operator models
- Numerous IDIQ contracts for additional commercial services as needed
- □ Scheduling of all NASA orbital support antennas performed from one location

**GN Antenna Map (Number of Antennas)** 




- **Primary Support Category** 
  - Orbital S-Band
  - Orbital X-Band
  - $\triangle$  Range
  - Shuttle

- **Owner/Operator Model** 
  - # NASA/CSOC
  - # NASA/university
  - # NASA/commercial
  - # Commercial



## **Customer trends and GN planning**

- □ Future customer need predicted to change
  - GN S-band missions "flying out" with few new customers in short term
  - X-band requirement through 2010 for Earth Observing System (EOS)
  - Other mid-term high-rate missions planning to use other networks
- ☐ GN usage level uncertain beyond ~2007
  - Far-term mission plans not yet developed
  - Potential for large fluctuations due to possible constellations
- ☐ GN cannot afford overcapacity
- Must obtain flexibility in capacity



GN Currently has Capacity to Support:

More than 275 passes/day on NASA owned antennas

40 passes/day minimum on commercial contracts



# Community trends may enable opportunities for coordination

#### NASA

Shared support between NASA Space Network and GN will probably increase Some overlap in functionality between GN and DSN on Earth-orbit support

#### NOAA

Ample X- and S- band contingency capacity
SafetyNet (NPOESS Ka-band architecture) planned to be operational in 2009

#### DoD

Exploring interoperability with other government satellite control systems

Exploring Transformational Communications for the long term

#### Commercial

Some providers maintain business viability in niche markets

Other providers rely on NASA as their cornerstone customer while they seek to develop a broader market

#### Partners

Some NASA missions will continue to receive ground network services from University and International partners



## **Ground Networks - Svalbard, Norway**

Norway, TTS 13M

Norway, SKS 11M

NASA 11M




IPO Foundation Eumetsat, SDS

Eumetsat, SDS



## **Ground Network orbital customers**





# backup



### **GN Priorities**

#### **GROUND NETWORK**

ABSOLUTE PRIORITY (APPLIES TO ALL PERIODS)

- 1. Emergency
  - A. Human
  - B. Spacecraft
- 2. STS Launch and Landing Support
- 3. ELV Launch Support
- 4. Critical Support
  - A. Launch and Early Orbit Phase Support (Spacecraft)
    - 1) NASA Missions (including Cooperative)
    - 2) Non-NASA Missions
  - B. Human
  - C. Spacecraft Operations (e.g., maneuvers)
  - D. STS Critical Pre-mission Testing and KSC Pad Testing
- 5. TDRSS
- 6. Normal Operations
- 7. Mission Testing
- 8. Scheduled Maintenance

#### GROUND NETWORK (GN) PRIORITES

- A. STS Launch and Landing Support
  - B. ELV Launch Support
- 2. TDRS-I
- 3. STS orbital support
- 4. ISS
- 5. TDRS-4
- 6. TDRS-6
- 7. PROSEDS
- 8. ADEOS-2 (WGS ONLY) \*
- 9. AQUA
- 10. LANDSAT-7
- 11. ADEOS-2
- 12 QUIKSCAT
- 13. JASON-1
- 14. TRACE
- 15. SWAS
- 16. EO-1
- 17. SAGE-III
- 18. SAC-C
- 19. GRACE-1/2
- 20. ACRIMSAT

- 21. TOMS-EP
- 22. HESSI
- 23. FAST
- 24. SAMPEX
- 25. WIRE
- 26. TERRA
- 27. SNOE
- 28. RADARSAT
- 29. ERS-2
- 30. SEAWIFS
- 31. ASTRO-D
- 32. FUSE
- 33. ERBS
- 34. KOMPSAT
- 35. IMP-8
- 36. GOES
- 37. HELIOS
- 38. IRS-P3
- 39. METEOSAT
- 40. COBE
- 41. LANDSAT-5

http://www.wff.nasa.gov/~code452/prioritylist.html





## **GN Capability Matrix**

Receive Command	sx	×	X														
	s	-		SX S	SX S	Data Relay	S X	S X	SXL	S.X.	S X	SXL	SL	S X	SX S	S X	S X
Tracking A			_	AD-		rcesay	AD.	ADR			A D ·	A	_	AD-	ADR	ADR	ADR
STATION / ANTENNA SC				A D -		-	A 0 -	AUK			A D .	Α	A	W D -	AUR	AUK	AUR
/BAND/SUPPORT	AGS 11	ASF 10	ASF 11	SGS 11	MGS 10	MGS MTRS	WPS 11	AGO 12/7	JHU/APL 5	JHU/APL 10	PF1 11	SAC/CSIR 10/6	SAC/CSIR 12.19/6	SKS 11	USN 13 ALASKA	USN 13 HAW	USN 13 DONGARA
ADEOS-II (X) (Tim)		Y 1,5,12,20	Y 1,5,12,20				Y 1.5.12,20										
AQUA (S&X) (TT&C)	Y 1,2			Y 1.2			Y1.16				Y 1.2			Y 1,2			
AURA (S & X) (TT&C)	Y1,2,20			Y1.2.20			Y1,16,20				Y1.2.20			Y1,2,20			
EO-1 (S & X) (TT&C)	Y 1,2,12,13			Y 1,2,12,13	Y1.10,11,12,13		Y 1,2,12,13				Y 1.2.12.13						
ERS-2 (X) (Tlm)		Y 1,6	Y 1.5		Y 1.5.10	Y											
ICESAT (S & X) (TT&C)	Y1,2			Y 1,2	Y1,11,20		Y1.16				Y 1,2			Y 1,2,20			
LANDSAT-7 (S & X) (TT & C)	Y1,2			Y1,2	Y11		Y11				Y1,2						
RADARSAT-1 (S & X) (TIm & C)		Y1,5	Y1,5		Y2,25	Y											
TERRA (S & X) (TT & C)	Y1,2			Y1,2			71.11				Y1,2,20			Y1,2,20			
FAST (S) (TT&C)	Y7,12,20			Y7,12,14,20	Y7,11,12		Y7,12,14,20	Y7,12			Y7,12,14,20			Y7,12,14,20	Y7,12,14	Y7,12,14	Y7,12,14,20
GRAVITY PROBE B (S) (TT&C)	Y 1,12,20			Y 1,12,20	Y1,11,12,20		Y 1,12,20				Y 1,12,20			Y 1.12,20			
IMP-8 (VHF) (Tim & C)																	
IRS-P3 (S) (Tlm)							71										
ISS (VHF VOICE)																	
JASON-1 (S) (Tlm & C)											Y8.12.14.15.20			Y8,12,14,15,20	Y8.12.14.15.20	Y8,12,14,15,20	Y8.12,14.15,20
METEOSAT-7 (L) (Tim)																	
ORBVIEW-2 (S & L) (TIm & C)							Y1.11										
Pro SEDS (S) (Tlm & T)							Y6,9	Y6,9								Y6,9,20	Y6,9,20
QUIKSCAT (8) (TT&C)	Y1.12			V1,12	Y1,10,11,12		Y1.12				Y1,12			Y1,12,20			
SAGE III METEOR 3M-N1(L) (TIm)																	
SAMPEX (S) (TT&C)	Y7,12,20			Y7,12,14,20			Y7,12,14,20	Y7,12			Y7,12,14,20			Y7,12,14,20	Y7,12,14	Y7,12,14	Y7,12,14,20
SNOE (S) (TIm & C)	Y12,20			Y12,20	Y10,12		Y12,20	Y12,20			Y12,20			Y12,29	Y12,20	Y12,20	Y12,20
SORCE (S) (Tim & C)							Y6,6,12,14,20				Y6,8,12,14,20					Y6,8,12,20	Y6,6,12,20
SPACE SHUTTLE (S&UHF)(TTC&R)																	
SWAS (S) (TT&C)	Y7,12,20			Y7,12,14,20			Y7,12,14,20	Y7,12			Y7,12,14,20			Y7,12,14,20	Y7,12,14,20	Y7,12,14	Y7,12,14,20
TOMS-EP (S) (TTC & R)	Y19			Y19,20	Y11		Y19	Y17			Y19,20			Y19,29	Y17,20	Y17,20	Y17,20
TRACE (S) (TT&C)	Y7,12,20			Y7,12,14,20	Y7,11,12		Y7,12,14,20	Y7,12,20			Y7,12,14,20			Y7,12,14,20	Y7,12,14	Y7,12,14	Y7,12,14,20
WIRE (S) (TT&C)	Y7.12,20			Y7,12,14,20	Y7,11,12		Y7,12,14,20	Y7,12,20			Y7,12,14,20			Y7.12.14.20	Y7.12,14	Y7,12,14	Y7.12.14,20
YOHKOH (S) (Tim)							Ye	Y6	Y6,20	Y6,20		Y6,20	Y6,20			Y6,20	Y8,20
ACRIMSAT (S) (TT & C)	Υ			Y	Y11		Y	Y20			Y20			Y20	Y20	Y20	Y20
CHAMP (S) (TT&C)	Y12,13			Y12,13	Y12,13,20		Y12.13				Y12.13.20			Y12,13,20	Y12,13,20	Y12,13,20	Y12,13,20
ENVISAT (S) (TTC & R)																	
ERBS (S) (TIm & C)	Y11,20						Y11,20	Y11,20			Y11,20	Y11,20	Y11.20		Y11,20	Y11,20	Y11,20
FUSE (S) (TIm & C)																Y6,12,18	Y6,12,18,20
GCES 8-11 & M (S) (TTC & R)								Y6,17,20							Y6,17,20	Y6,17,20	
GCES N-Q (S) (TTC & R)								Y6,17,20							Y8.17,20	Y6,17,20	
GRACE 1-2 (S) (TT & C)	Y1.20			Y1,20	Y1,11,20		Y1.20				Y1,20			Y1.20			
HESSI (S) (Tim & C)							Y6.12,13	Y6.12,13,20								Y6,12,13,20	Y6.12.13.20
LANDSAT 4 & 5 (S) (TTC & R)								Y6,17,20							Y6,17,20	Y6,17,20	Y6,17,20
QUIKTOMS (S) (Tim & C)	Y12,13			Y12,13	Y12.13		Y12.13	Y12,13,20			Y12,13,20			Y12,13,20	Y12,13	Y12,13,20	Y12,13,20
SAC-C (S) (TT & C)	Y			Y	Y11		Y	Y20			Y20			Y	Y20	Y20	Y20
TDRS 1-8 (S) (TTC & R)								Y6.17,29,21							Y6,17,20,23	Y6.17,29,23	Y6.17.20.24



### **GN Reference Links**

- ☐ GN home page <a href="http://www.wff.nasa.gov/~code452/">http://www.wff.nasa.gov/~code452/</a>
  - Describes Station capabilities and mission priorities
- Space Network home page <a href="http://msp.gsfc.nasa.gov/tdrss/">http://msp.gsfc.nasa.gov/tdrss/</a>
  - Links to description & capabilities
- Mission Set Database <a href="http://Cserver.mii.instacontent.net">http://Cserver.mii.instacontent.net</a>
  - Mission set, customer commitment, launch forecast
- □ IPO Safety Net <a href="http://npoess.noaa.gov/News/Maxi-2002/presentationList.html">http://npoess.noaa.gov/News/Maxi-2002/presentationList.html</a>
  - NPOESS Program Overview
  - System Architecture & Performance
  - Space Segment
  - Ground Segments